

Phone:+ 86-18931728222

Whatsapp:0086-18931728222

Emial:holiday0202@126.com

Office Add:3 th dongchangshijicheng, huanghe road,xinhua zone,
cangzhou city,hebei province, China

Factory Add: industrial park, wangwenzhuang,Tianjin city ,China



WINNIC

Winnic metal
products co., limited





COMPANY PROFILES

WinNic metal products Co., Limited located in Tianjin city, adjacent to Tianjin Port, also near by Capital Steel Group.

Have a great advantage in material resources and transportation.

WinNic metal products Co., Limited is focused on high product quality of customer needs, actively exploring the market, insisting on excellent quality, reasonable price, in order to export our product to hardware company in Europe, USA, and other areas, and has won a high reputation at both home and abroad.

We sincerely welcome cooperation with friends both at home and abroad to create a great cause together!

Black drywall screw (coarse thread)



Material: C1022A

Size: #6*1", #6*3/4", #6*1 1/2", #6*2".....
#8*1", #8*3/4", #8*1 1/2", #8*2".....

Surface treatment: black phosphated or zinc plated.

Finish: Zinc Plated, Nickel Plated, Black & Grey Phosphated Ruspert.

Mainly used for fixing and connecting iron joists and recycled wooden products.

Plastic bag / small box + outer carton + pallets

Black drywall screw (fine thread)



Material: C1022A

Size: #6*1", #6*3/4", #6*1 1/2", #6*2".....
#8*1", #8*3/4", #8*1 1/2", #8*2".....

Surface treatment: black phosphated or zinc plated.

Finish: Zinc Plated, Nickel Plated, Black & Grey Phosphated Ruspert.

Mainly used for fixing and connecting iron joists and recycled wooden products.

Plastic bag / small box + outer carton + pallets

Yellow zinc chipborad screw



Material:C1022A
 Size:M2.5-M6,4#-14#
 Surface treatment:yellow zinc plated.
 Finish: Zinc Plated, Nickle Plated, Black & Grey Phosphated Ruspert.
 Mainly used for fixing and connecting iron joists and recycled wooden products.
 Plastic bag / small box +outer carton +pallets

Philip flat head self tamping screw



Size: Diameter: M3.5(6#) M4.2(8#) M4.8(10#) M5.5(12#) M6.3(14#) ,
 Length: 13mm-125mm
 Material: High carbon steel
 Head type:hex, flat, pan, truss, round, hex washer, Oval, pan framing, bugle.
 Finish: Zinc Plated, Nickle Plated, Black & Grey Phosphated Ruspert.
 Plastic bag / small box +outer carton +pallets

Galvanized concrete nail



Material:C1022A
 Size:M2.5-M6,4#-14#
 Surface treatment: zinc plated.
 Finish: Zinc Plated, Nickle Plated, Black & Grey Phosphated Ruspert.
 Mainly used for fixing and connecting iron joists and recycled wooden products.
 Plastic bag / small box +outer carton +pallets

Black concrete nail



Head type: Flat
 Surface: Black color, blue color.
 Dia: 1mm-6mm
 Length: 1" to 6"
 Feature: 25 mm~ 150mm (1"~ 6")
 Material: 45# carbon steel or 55# carbon steel
 Description: round head ,smooth body, groove twist shank.

F series brad nails



Models: F10, F15, F20, F25, F30, F32, F35, F40, F45, F50
 Packing: Inner packing: 100 pcs/Strip, 5000pcs/box, Out packing: 20 boxes/Carton
 Usage: Mainly used in decoration, Furniture, Door, Window wooden box and

Zinc hex head Lag screws



Standard: DIN
 Material: high carbon steel
 Head :hex head
 Size:M3.5 M3.9 M4.2 M4.8 M5.5 #6 #7 #8 #10 #12
 Packing:Small box, cartons & pallet or according to customers' requests
 Used: Building Industry Machinery

Code nail



Size:1010J, 1013J, 410J, 413J, 416J, 419, 422J.
 Shank:Smooth shank
 Application:widely used in sofa, mattress, bookshelf, cabinet, packing, etc
 Packing:2000-5000pics/box or as per need

Truss head self tamping screw



Standard: DIN
 Material: C1022A high carbon steel
 Head :Phillip Wafer head self drilling screws
 Size:M3.5 M3.9 M4.2 M4.8 M5.5 #6 #7 #8 #10 #12
 Packing:Small box, cartons & pallet or according to customers' requests
 Used: Building, Industry, Machinery

Rivet nail

Material: Aluminium head
 Diameter: M3.0/M3.2/M4.0/M4.8/M5.0/M6.4
 Length:5mm-30mm
 Point:Flat , Sharp
 Grip range: 0.031"-1.135"(0.8mm-29mm)
 Finish: Zinc Plated/Colpainted.



Hex Washer Head Self-drilling Screw

Material:Steel C1022Carbon steel
 Surface : Zinc Plated,Oxide black,Nickel Plated,Bronze Plated,HDG
 Drive type:Phillips,Pozi,Slot,Torx,Square,Combination
 Head type:Hex head
 Thread type:AB Type,A Type,BSW
 Diameter:2.9-6.3mm,4#-14#
 Length:6.5-160mm,1/4" -6 1/4"



304 201 stainless steel screw

Material:stainless steel
 Color:nickel white
 Standard:GB
 Grade: SUS201, SUS304, SUS316, A2-70
 Brade:Rock
 Thread:coarse, fine
 Used:building industry machinery



Stainless steel hexagon bolt

Standard: DIN933, DIN931, ASME B18.2.1,
 ISO 4017, ISO 4014, IFI 149
 Grade: B8, B8M
 Head type: Hex Head
 Size: M3-M72; 1/4"-3"
 Length: 6mm-600mm; 3/8"-24"
 Material: Stainless Steel
 Finish: Passivated



Stainless steel nut



Grade: SUS410, SUS420, SUS201,SUS304,SUS316
 Size: ST2.2-ST 6.3
 Standard: DIN, ISO, BS, ASME, GB, JIS
 Certification: ISO9001, SGS, CE
 Material:stainless steel

Galvanized/polish common nail

Material: Low carbon steel(Q195, Q235)
 Head: waffle head,flat smooth head
 Shank: Smooth
 Point:sharp diamont point
 Diameter: BWG6-20
 Length: 1/2"-8"
 Finish:Polished, E.G., H.D.G



Galvanized umbrella roofing nails

Model: 1.5 "-3"
 Material: carbon steel
 Category: nails-roofing nails
 Nominal diameter: 2.8-4.2 mm
 Length: 40-80mm
 Surface treatment: zinc plated, polished




Galvanized clout nail



Available surface tratment :galvanized (zinc coated), hot dipped galvanized ,black
 Packing :20kgs per cartons or as customers requirment
 Material of the galvanized roofing nail :carbon steel
 Length of the clout nail :1/2"-4",Also as your requirement

Galvanized Hex Bolt



Mark: According to customer's requirement.
 Materials: Carbon Steel, Stainless Steel 304&316, Carbon Steel, Brass
 Surface treatment/Finish: Plain, Zinc Plated
 Grade: Grade 8.8, 10.9, 12.9, A2-70, A2-80, A4-70, A4-80

Black hex bolt



Standard: DIN603, ASME B18.5
 Size: M5-M20; 1/4"-1"
 Length: 10mm-500mm
 Grade: 4.8 8.8 10.9
 Mark: 4.8 8.8 10.9
 Material: carbon steel or alloy steel
 Finish: plain, black, zinc plated, hdg, dacromet, geomet and so on.

Hex cap zinc nut



Grade: grade 4.8, 8.8, 10.9, 12.9
 Size: M3-M100
 Standard: DIN934
 Finish: galvanized, zinc plated, HDG, Dacromet, black oxide
 Material: carbon steel Q195 Q235 35K C45

Hex cap black nut



Grade: grade 4.8, 8.8, 10.9, 12.9
 Size: M3-M100
 Standard: DIN934
 Finish: polish, black oxide
 Material: carbon steel Q195 Q235 35K C45